#### **GOVERNMENT NOTICE**

#### **DEPARTMENT OF ENVIRONMENTAL AFFAIRS**

#### **NOTICE NO. 635**

#### 23 AUGUST 2013

#### NATIONAL ENVIRONMENTAL MANAGEMENT: WASTE ACT 59 OF 2008

#### NATIONAL NORMS AND STANDARDS FOR THE ASSESSMENT OF WASTE FOR LANDFILL DISPOSAL

I, Bomo Edith Edna Molewa, Minister of Water and Environmental Affairs, hereby set national norms and standards for the assessment of waste for landfill disposal, under section 7(1)(c) of the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008), in the Schedule hereto,

(Signed)

**BOMO EDITH EDNA MOLEWA** 

MINISTER OF WATER AND ENVIRONMENTAL AFFAIRS

# SCHEDULE TABLE OF CONTENTS CHAPTER 1 INTEPRETATION AND PURPOSE

- 1. Definitions
- 2. Purpose and Application

#### CHAPTER 2 STANDARD ASSESSMENT METHODOLOGY

- 3. Approach
- 4. Total Concentration (TC) Analysis
- 5. Leachable Concentration (LC) Analysis
- 6. LCT and TCT Limits
- 7. Determining Waste Types for Landfill Disposal

## CHAPTER 1 INTERPRETATION AND PURPOSE

#### 1. Definitions

In these National Norms and Standards, any word or expression to which a meaning has been assigned in the Act has that same meaning, and unless the context indicates otherwise-

"Leachable Concentration (LC)" means the leachable concentration of a particular element or chemical substance in a waste, expressed as mg/l;

"Leachable Concentration Threshold (LCT)" means the leachable concentration threshold limit for particular elements and chemical substances in a waste, expressed as mg/l, prescribed in section 6 of these Norms and Standards;

"putrescible waste" means waste that contains organic matter capable of being decomposed by microorganisms, or that will readily decay under normal conditions, giving rise to offensive odours, or which is capable of providing food for birds and animals, thereby attracting vermin or disease-causing vectors such as flies and rodents;

"Total Concentration (TC)" means the total concentration of a particular element or chemical substance in a waste, expressed as mg/kg;

"Total Concentration Threshold (TCT)" means the total concentration threshold limit for particular elements or chemical substances in a waste, expressed as mg/kg, prescribed in section 6 of these Norms and Standards;

"the Act" means the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008);

"the Regulations" means the Waste Classification and Management Regulations, 2013.

### 2. Purpose and Application

These Norms and Standards prescribe the requirements for the assessment of waste prior to disposal to landfill in terms of Regulation 8(1)(a) of the Regulations.

#### CHAPTER 2 STANDARD ASSESSMENT METHODOLOGY

#### 3. Approach

- (1) To assess waste for the purpose of disposal to landfill, the following are required-
  - (a) identification of chemical substances present in the waste; and
  - (b) sampling and analysis to determine the total concentrations (TC) and leachable concentrations (LC) of the elements and chemical substances that have been identified in the waste and that are specified in section 6 of these Norms and Standards.
- (2) Within three (3) years of the date of commencement of the Regulations, all analyses of the TC and LC of elements and chemical substances in waste must be conducted by laboratories accredited by the South African National Accreditation System (SANAS) to conduct the particular techniques and analysis methods required.
- (3) The TC and LC limits of the chemical substances in the waste must be compared to the threshold limits specified in section 6 of these Norms and Standards for total concentrations (TCT limits) and leachable concentrations (LCT limits) of specific elements and chemical substances.
- (4) Based on the TC and LC limits of the elements and chemical substances in the waste exceeding the corresponding TCT and LCT limits respectively, the specific type of waste for disposal to landfill must be determined in terms of section 7 of these Norms and Standards.

#### 4. Total Concentration (TC) Analysis

- (1) The TC of all the elements and chemical substances specified in section 6 of these Norms and Standards that are known to occur, likely to occur or can reasonably be expected to occur in the waste must be determined.
- (2) The TC of elements and chemical substances in waste must be determined using techniques and analysis methods that will provide reliable, accurate and repeatable results of the TC of elements and chemical substances specified in section 6 of these Norms and Standards.

#### 5. Leachable Concentration (LC) Analysis

- (1) The LC of elements and chemical substances must be determined using the Australian Standard Leaching Procedure (AS 4439.1, 4439.2 and 4439.3).
- The type of leaching fluid (section 5.2 and 5.3 of AS 4439.3) used in the leaching procedure must (2)be selected as follows -
  - (a) Waste to be disposed of with, or waste that contains, putrescible wastes: Use 0.1 M acetic acid solution with altered pH 5.0 or pH 2.9 determined as per section 7.5(a-e) of AS 4439.3;
  - (b) Waste to be disposed of with non-putrescible waste: Use a basic 0.1 M sodium tetraborate decahydrate solution of pH 9.2 \ 0.1, as well as an acetic acid solution with pH 5.0 or pH 2.9) determined as per section 7.5(a-e) of AS 4439.3; or
  - (c) Non-putrescible waste to be disposed of without any other wastes: Use reagent water.
- (3)Existing LC results for elements and chemical substances in wastes, which have been determined in terms of the Toxicity Characteristic Leaching Procedure (TCLP) leach test criteria of the Minimum Requirements for the Handling, Classification and Disposal of Hazardous Waste (2nd Edition, 1998; Department of Water Affairs and Forestry) prior to the Regulations taking effect, may be utilised for comparison with the LCT limits in section 6 of these Norms and Standards to asses waste for the purpose of disposal of the waste to landfill, for a period not exceeding three (3) years from the date of publication of this Notice.

6. LCT and	ΓCT Limit	s			
(1) Total Cond	centration	Threshold (	ΓCT) Limits	(mg/kg):	
Elements & Chem	ical TO	TO TCT	1 TC	T2	 
Substances in Wa					
Metal lons					
An Araonia		500	2000		 
As, Arsenic	5.8		2000		
B, Boron	150	15000	60000		
Ba, Barium	62.5	6250	25000		
Cd, Cadmium	7.5	260	1040		
Co, Cobalt	50	5000	20000		
Crrotai, Chromium	Total 46	000 8000	000 N/A	4	
Cr(VI), Chromium	(VI) 6.5	500	2000		
Cu, Copper	16	19500	78000		
Hg, Mercury	0.93	160	640		
Mn, Manganese	1000	25000	10000	00	
Mo, Molybdenum	40	1000	4000		
Ni, Nickel	91	10600	42400		

Disclaimer: MacRobert Inc. made every effort to ensure the update accuracy of this document. The reader should however be aware that this document is intended for general research and reference purposes only, and MacRobert cannot be held liable for damages incurred due to any possible inaccuracies in this document. It is therefore recommended that specialist legal advice be obtained before any significant action is taken on strength of the content of this document.

Pb, Lead	20	1900	7600
Sb, Antimony	10	75	300
Se, Selenium	10	50	200
V, Vanadium	150	2680	10720
Zn, Zinc	240	160000	640000
Inorganic Anions	 S		
TDS			
Chloride			
Sulphate			
N03 as N, Nitrate	e-N		
F, Fluoride	100	10000	40000
CN- (total), Cyar	nide 14	10500	42000
Total			
Organics			

#### Organics

1,1-Dichloroethylene

1-2-Dichloroethylene

Benzene	10	40
Benzo(a)pyrene	1.7	6.8
Carbon tetrachloride	4	16
Chlorobenzene	8800	35200
Chloroform	700	2800
2-Chlorophenol	2100	8400
Di (2 ethylhexyl)	40	160
phthalate		
1,2-Dichlorobenzene	3190	0 127600
1,4-Dichlorobenzene	1840	0 73600
1,2-Dichloroethane	3.7	14.8

600

15000

150

3750

Elements & Chemical	ТСТ0	TCT1	TCT2
Substances in Waste			
Dichloromethane	16	64	
2,4-Dichlorophenol	800	320	00
2,4-Dinitrotoluene	5.2	20.8	
Ethylbenzene	540	2160	)
Formaldehyde	2000	0 800	00
Hexachlorobutadiene	2.	8 5.4	4
Methyl ethyl ketone	800	0 320	000
MTBE (Methyl t-butyl	143	35 57	740
ether)			
Nitrobenzene	45	180	
PAHs (total)	50	200	
Petroleum H/Cs, C6 to 0	C9 (	650	2600
Petroleum H/Cs, C10 to	1	0000	40000
C36			
Phenols (total, non-	560	224	0
halogenated)			
Polychlorinated	12	48	
biphenyls			
Styrene	120	480	
1,1,1,2-	400	1600	
Tetrachloroethane			
1,1,2,2-	5.0	20	
Tetrachloroethane			
Tetrachloroethylene	200	800	0
Toluene	1150	4600	
Trichlorobenzenes	330	00 13	200
(total)			

1,1,1-Trichloroethane	1200	4800
1,1,2-Trichloroethane	48	192
Trichloroethylene	11600	46400
2,4,6-Trichlorophenol	1770	7080
Vinyl chloride	1.5	6.0
Xylenes (total)	890	3560

#### **Pesticides**

Aldrin + Dieldrin 0.05 1.2 4.8

DDT + DDD + DDE 0.05 50 200

2,4-D 0.05 120 480

Chlordane 0.05 4 16

Heptachlor 0.05 1.2 4.8

\_\_\_\_\_

#### Notes:

- TCT1 limits, where appropriate, have been derived from the land remediation values for commercial/industrial land determined by the Department of Environmental Affairs' "Framework for the Management of Contaminated Land", March 2010. The TCT2 limits were derived by multiplying TCT1 by a factor of 4, as used by the Environmental Protection Agency, Australian State of Victoria.
- If South African limits for TCT1 were unavailable, in general, the limits published by the Environmental Protection Agency, Australian State of Victoria have been used.
- Some TC limits have been adjusted because of various attenuation factors that are observed in landfills.
- Where available, the TCT0 limits for have been obtained from SA Soil Screening Values that are protective of water resources. If not available, the State of Victoria value for fill material (EPA Victoria, Classification of Wastes) has been selected. If limits were not available in these references a conservative value was obtained by dividing the TCT1 value by 100.

(2) Leachable Cond	centration	Threshold	l (LCT) Lim	iits (mg/l):	
Elements & Chemical Substances in Waste	LCT0	LCT1	LCT2	LCT3	
Metal lons					

As, Arsenic	0.01	0	.5	1		4	
B, Boron	0.5	25		50		200	
Ba, Barium	0.7	3	5	70		280	
Cd, Cadmium	0.	003	0.1	5	0.3		1.2
Co, Cobalt	0.5	2	5	50		200	
Crrotai, Chromium	Total	0.1	5		10		40
Cr(VI), Chromium (	(VI)	0.05	2.	5	5		20
Cu, Copper	2.0	1	00	20	0	80	0
Hg, Mercury	0.00	06	0.3	0	.6	2.	4
Mn, Manganese	C	).5	25		50	2	200
Mo, Molybdenum	(	0.07	3.5	5	7		28
Ni, Nickel	0.07	3.	5	7		28	
Pb, Lead	0.01	0	.5	1		4	
Sb, Antimony	0.0	2	1.0	2		8	
Se, Selenium	0.0	1	0.5	1		4	
V, Vanadium	0.2	!	10	20	)	80	
Zn, Zinc	5.0	250	)	500		2000	)

\_\_\_\_\_

### Inorganic Anions

TDS 1000 12 500 25 000 100 000

Chloride 300 15 000 30 000 120 000

Sulphate 250 12 500 25 000 100 000

N03 as N, Nitrate-N 11 550 1100 4400

F, Fluoride 1.5 75 150 600

CN- (total), Cyanide 0.07 3.5 7 28

Total

\_\_\_\_\_

Organics

Benzene 0.01 0.02 0.08

Benzo(a)pyrene	0.035	5 0.07	0.28	
Carbon tetrachloride	0.20	0.40	1.6	
Chlorobenzene	5.0	10	40	
Chloroform	15	30	120	
2-Chlorophenol	15	30	120	
Di (2 ethylhexyl)	0.50	1	4	
phthalate				
1,2-Dichlorobenzene	5	10	40	
1,4-Dichlorobenzene	15	30	120	
1,2-Dichloroethane	1.5	3	12	
1,1-Dichloroethylene	0.35	0.7	2.8	
1-2-Dichloroethylene	2.5	5	20	
Dichloromethane	0.25	0.5	2	
2,4-Dichlorophenol	10	20	80	
2,4-Dinitrotoluene	0.065	0.13	0.52	
Elements & Chemical	LCT0	LCT1	LCT2	LC
Elements & Chemical Substances in Waste	LCT0	LCT1	LCT2	LC
	LCT0	LCT1	LCT2	LC.
	3.5	T 7	LCT2 28	LCT
Substances in Waste				LCT
Substances in Waste  Ethylbenzene	3.5	7 50	28	
Substances in Waste  Ethylbenzene  Formaldehyde	3.5 25	7 50	28	LCT
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene	3.5 25 0.0	7 50 3 0.0	28 200 6 0.2	
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene Methyl ethyl ketone	3.5 25 0.0	7 50 03 0.0 200	28 200 96 0.2 800	
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene Methyl ethyl ketone MTBE (Methyl t-butyl	3.5 25 0.0	7 50 03 0.0 200	28 200 96 0.2 800	
Substances in Waste  Ethylbenzene  Formaldehyde  Hexachlorobutadiene  Methyl ethyl ketone  MTBE (Methyl t-butyl ether)	3.5 25 0.0 100 2.5	7 50 3 0.0 200 5.0	28 200 06 0.2 800 20.0	
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene Methyl ethyl ketone MTBE (Methyl t-butyl ether) Nitrobenzene	3.5 25 0.0 100 2.5	7 50 3 0.0 200 5.0 2	28 200 6 0.2 800 20.0	
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene Methyl ethyl ketone MTBE (Methyl t-butyl ether) Nitrobenzene PAHs (total)	3.5 25 0.0 100 2.5 1 N/A	7 50 3 0.0 200 5.0 2 N/A	28 200 6 0.2 800 20.0 8 N/A	4
Substances in Waste  Ethylbenzene Formaldehyde Hexachlorobutadiene Methyl ethyl ketone MTBE (Methyl t-butyl ether) Nitrobenzene PAHs (total) Petroleum H/Cs, C6 to C9	3.5 25 0.0 100 2.5 1 N/A	7 50 3 0.0 200 5.0 2 N/A	28 200 6 0.2 800 20.0 8 N/A	4 /A

Polychlorinated biphenyls	C	.025	0	.05	0.2
Styrene	1.0	2	8	3	
1,1,1,2-Tetrachloroethane		5	10		40
1,1,2,2-Tetrachloroethane	. (	).65	1.	3	5.3
Tetrachloroethylene	0.2	:5	0.5		2
Toluene	35	70		280	
Trichlorobenzenes (total)	3	5	7		28
1,1,1-Trichloroethane	15		30		120
1,1,2-Trichloroethane	0.6	6	1	4	1
Trichloroethylene	0.25		2	8	
2,4,6-Trichlorophenol	10	.0	20		80
Vinyl chloride	0.015	0.	.03	0.	12
Xylenes (total)	25	50		200	)
Pesticides					
Aldrin + Dieldrin	0.015		0.03		.03
DDT + DDD + DDE	0.013		2	U	.03
		3	3		_
Chlordane	0.05	o. ·		0.1	
Heptachlor	0.03		.03		03
Першенно	0.015	U.	.00	U.	UJ

#### Notes:

- LCT1 limits have, where possible, been derived from the lowest value of the standard for human health effects listed for drinking water (LCT0) in South Africa (DWAF, SANS) by multiplying with a Dilution Attenuation Factor (DAF) of 50 as proposed by the Australian State of Victoria, "Industrial Waste Resource Guidelines: Solid Industrial Waste Hazard Categorisation and Management", June 2009 (<a href="https://www.epa.vic.gov.aus">www.epa.vic.gov.aus</a>). If no standard was available in South Africa then the limits given by the WHO or other appropriate drinking water standard, such as those published in the California Regulations have been used.
- LCT2 limits were derived by multiplying the LCT1 value with a factor of 2, and the LCT3 limits have been derived by multiplying the LCT2 value with a factor of 4. The factors applied represents a conservative assessment of the decrease in risk achieved by the increase in environmental protection provided by more comprehensive liner designs in higher classes of landfill and landfill operating requirements.

#### 7. Determining Waste Types for Landfill Disposal

- (1) The specific type of waste for disposal to landfill must be determined by comparing the TC and LC of the elements and chemical substances in the waste with the TCT and LCT limits specified in section 6 of these Norms and Standards.
- Based on the assessment of the particular waste destined for disposal to landfill, the type of waste is (2)determined as follows-
  - Wastes with any element or chemical substance concentration above the LCT3 or TCT2 limits (LC > LCT3 or TC > TCT2) are Type 0 Wastes;
  - (b) Wastes with any element or chemical substance concentration above the LCT2 but below or equal to the LCT3 limits, or above the TCT1 but below or equal to the TCT2 limits (LCT2 < LC ≤ LCT3 or TCT1 < TC ≤ TCT2), are Type 1 Wastes;
  - Wastes with any element or chemical substance concentration above the LCT1 but below or (c) equal to the LCT2 limits and all concentrations below or equal to the TCT1 limits (LCT1 < LC ≤ LCT2 and TC ≤ TCT1) are Type 2 Wastes;
  - (d) Wastes with any element or chemical substance concentration above the LCT0 but below or equal to the LCT1 limits and all TC concentrations below or equal to the TCT1 limits (LCT0 < LC ≤ LCT1 and TC ≤ TCT1) are Type 3 Wastes; or
  - Wastes with all element and chemical substance concentration levels for metal ions and (e) inorganic anions below or equal to the LCT0 and TCTO limits (LC ≤ LCT0 and TC ≤ TCTO), and with all chemical substance concentration levels also below the following total concentration limits for organics and pesticides, are Type 4 Wastes-

Chemical Substance	es in Total Concentration
Waste	(mg/kg)
Organics	
TOC	30 000 (= 3%)
BTEX	6
PCBs	1
Mineral Oil (C10 to	C40) 500
Pesticides	
Aldrin + Dieldrin	0.05
DDT + DDD + DDE	0.05
Chemical Substance	es in Total Concentration

Waste (mg/kg)

2,4-D	0.05	
Chlordane	0.05	
Heptachlor	0.05	
(3)	section 6 of regulation 4(	ar chemical substance in a waste is not listed with corresponding LCT and TCT limits in these Norms and Standards, and the waste has been classified as hazardous in terms of (2) of the Regulations based on the health or environmental hazard characteristics of the ement or chemical substance, the following applies -
	(a) the wa	aste is considered to be Type 1 Waste; and
		epartment must be informed in writing in 30 days of the particular element or chemical ance not listed in section 6 of these Norms and Standards.
(4)	substance is but the LC f	ding section 7(2) of these Norms and Standards, if the TC of an element or chemical above the TCT2 limit, and the concentration cannot be reduced to below the TCT2 limit, for the particular element or chemical substance is below the LCT3 limit, the waste is to be Type 1 Waste.
(5)	Wastes liste	ed in item (2)(b) of Annexure 1 to the Regulations are considered to be Type 1 Waste,

unless assessed and determined otherwise in terms of these Norms and Standards.

(a) all chemical substance concentration levels are below the following total concentration limits for organics and pesticides:

Notwithstanding section 7(2) of these Norms and Standards, wastes with all element or chemical

substance leachable concentration levels for metal ions and inorganic anions below or equal to the LCT0 limits are considered to be Type 3 waste, irrespective of the total concentration of elements or

Chemical Substances in Waste Total Concentration (mg/kg)	
Organics	
тос	30 000 (= 3%)
Chemical Substances in Waste Total Concentration (mg/kg)	
BTEX	6
PCBs	1
Mineral Oil (C10 to C40) 500	

chemical substances in the waste, provided that-

(6)

### **Pesticides**

Aldrin + Dieldrin 0.05

DDT + DDD + DDE 0.05

2,4-D 0.05

Chlordane 0.05

Heptachlor 0.05

(b) the inherent physical and chemical character of the waste is stable and will not change over

- time; and
- (c) the waste is disposed of to landfill without any other waste.